




Operating Temperature: 0° C to 55° C (32° F to 131° F)  
Operating Humidity: Maximum 95%  
Storage Temperature: -30° C to 70° C (-22° F to 158° F)  
Storage Humidity: Maximum 95%



### Mswipe Technologies Pvt. Ltd.

Astral Center, 9th Floor, N. M. Joshi Marg, Byculla, Mumbai - 400 011. **T** 022 49224466 **F** 022 4922 4444 **W** [www.mswipetech.com](http://www.mswipetech.com)

© 2013 Mswipe Technologies Pvt Ltd. All right reserved. Mswipe and WisePad are either trademark or registered trademark of Mswipe Technologies Pvt Ltd.



**A. Front Housing**

Color: PMS Black  
Texture: EDM Etching

**B. Back Housing**

Color: Grey PMS 445C  
Texture: EDM Etching

**C. Rubber PinPad**

Color: Blue PMS 445C

Product Size:

113.2 x 72.3 x 16 mm

Case Material:

PC/ABS

Case Texture/ Finishing:

EDM Etching




Color Options:

- Black w/ Grey PMS 445C
- White w/ Blue PMS 541C



## Product Specifications

Model No.: W300

Functions	<ul style="list-style-type: none"> <li>• EMV Card Reader</li> <li>• Magstripe Card Swiper</li> <li>• Secured PinPad</li> </ul>
Card Reader	Dual track (track 1 & 2 or track 2 &3)
Swipe Speed	10cm/sec – 100cm/sec
Power & Battery	Built-in Lithium Polymer Rechargeable Battery 400mAH, 3.7V
Charging	Via Micro USB
In/Out Put:	10 numerical buttons, 3 functional buttons, on/off button, pairing button
Light Indicator	<p>Green light “Flashing” =&gt; Operating Red light “Flashing” =&gt; Low battery</p> <p>Red light “On” =&gt; Charging Green light “On” =&gt; Charging finish</p>
Key Management	DUKPT, MK/SK
Encryption Algorithm	TDES, AES
Software Support	<ul style="list-style-type: none"> <li>•  Android 2.1 or above</li> <li>•  iOS 3.2 or above</li> </ul>
Bluetooth 	2.0
Certification	FCC, CE, EMV L1 & L2, PBOC 3.0 L1 & L2, PCI PTS v3.1, PIN
	